




CERTIFICADO DE ANALISIS

PRODUCT DETAILS					
Product Name	ACEITE ESENCIAL DE ALCANFOR BLANCO				
Product Code	OECAMP				
INCI Name	Cinnamomum camphora				
Batch Number	4393001				
Best Before End	April 2023				
Manufacturing Process	Essential oil of Cinnamomum camphora (Lauraceae) obtained from fractional distillation of the decamphorized crude camphor oil.				
Identification	CAS No: 92201-50-8	EINECS No: 295-980-1			
PHYSICAL AND CHEMICAL CHARACTERISTIC					
	SPECIFICATION RANGE	RESULT			
Appearance	Liquid	Conforms			
Colour	Colourless	Conforms			
Odour	Characteristic	Conforms			
Flash Point	46°C	Conforms			
Relative Density @ 20°C	0.8700 - 0.9100	0.882			
Refractive Index @ 20°C	1.4620 - 1.4720	1.4665			
1,8 Cineol content	35% min	40.1			
Optical Rotation °	+2 to +12	2.82			
MAIN CONSTITUENTS					
CONSTITUENT RANGE	RESULTS	CONSTITUENT RANGE	RESULTS	CONSTITUENTS RANGE	RESULTS
1, 8 Cineole 33-45%	40.10%	Limonene 8-36%	21.10%	Alpha Pinene 4-17%	4.10%
P-Cymene 1--12.40%	7.10%	p-mentha-1,4-diene 0.50-10%	2.10%	Beta Pinene 0.70-9%	2.30%
Alpha Phellandrene 0.50-4%	1.10%	Myrcene 0.50-8%	4.30%	Sabiene 0.1-25%	4.60%
A Terpinolene 0.09-5%	1.40%	p-menth-1-en-8-ol 0.02-3%	1.40%	Terpinene-1-ol-4 0.01-3%	1.40%
STORAGE AND SHELF LIFE					
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.				
Shelf Life	24 months unopened and stored as above.				

DESCARGO DE RESPONSABILIDAD: Esta información se refiere solo al material específico designado y puede no ser válida para dicho material utilizado en combinación con cualquier otro material o en cualquier proceso. Dicha información es, lo mejor del conocimiento y la creencia de la Compañía, preciso y confiable a partir de la fecha indicada. Sin embargo, no se hace ninguna garantía, garantía o representación a su exactitud, confiabilidad o integridad. Son los usuarios responsables de cerciorarse de la idoneidad de dicha información para su uso particular. Cuando haga una declaración de que el material alergénico no está presente en ningún producto, esto se hace asumiendo niveles razonables de detección. Es imposible garantizar la "ausencia absoluta" de cualquier material. Es responsabilidad última del cliente garantizar la seguridad del producto final previsto que contenga este material, mediante la realización de ensayos adicionales en caso necesario.



CAMPHOR OIL WHITE FLOW CHART





SAFETY DATA SHEET / FICHA DE DATOS DE SEGURIDAD
CAMPBOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	CAMPBOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL
Product number	OECAMPWHIT
Synonyms; trade names	Camphor tree, Cinnamomum camphora ext
REACH registration number	01-2120082524-56-XXXX
CAS number	92201-50-8
EC number	295-980-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Industrial, only for professional use
-----------------	---------------------------------------

1.3. Details of the supplier of the safety data sheet

Supplier	El Jabón Artesanal Manuel Vicente Nievas C/ Rio Tajo nº 53 18110 Las Gabias, (Granada-España) Telf. (+34) 637594492 eljabonartesanal@hotmail.com
----------	---

1.4. Emergency telephone number INSTITUTO NACIONAL DE TOXICOLOGIA MADRID 915620420

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
Human health	May be fatal if swallowed and enters airways. The product is irritating to eyes and skin.
Environmental	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
Physicochemical	Flammable liquid and vapour

2.2. Label elements

EC number	295-980-1
-----------	-----------

CAMPHOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

Pictogram



Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.
 H304 May be fatal if swallowed and enters airways.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P331 Do NOT induce vomiting.
 P391 Collect spillage.
 P262 Do not get in eyes, on skin, or on clothing.

Contains

1, 8 cineole, dipentene, Alpha Pinene, Beta Pinene, Sabinene, a terpinolene

Supplementary precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P240 Ground/ bond container and receiving equipment.
 P241 Use explosion-proof electrical equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P261 Avoid breathing vapour/ spray.
 P264 Wash contaminated skin thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P321 Specific treatment (see medical advice on this label).
 P332+P313 If skin irritation occurs: Get medical advice/ attention.
 P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.
 P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

CAMPBOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

1, 8 cineole		33 - 45%
CAS number: 470-82-6	EC number: 207-431-5	
Classification Flam. Liq. 3 - H226 Skin Sens. 1B - H317		
dipentene		8 - 36%
CAS number: 138-86-3	EC number: 205-341-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Alpha Pinene		4 - 17%
CAS number: 80-56-8	EC number: 201-291-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
p-Cymene		1 – 12.40%
CAS number: 99-87-6	EC number: 202-796-7	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304		
p-mentha-1,4-diene		0.50 - 10%
CAS number: 99-85-4	EC number: 202-794-6	
Classification Flam. Liq. 3 - H226 Asp. Tox. 1 - H304		

CAMPHOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

Beta Pinene		0.70 - 9%
CAS number: 127-91-3	EC number: 242-060-2	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Alpha Phellandrene		0.50 - 4%
CAS number: 99-83-2	EC number: 202-792-5	
Classification Flam. Liq. 3 - H226 Asp. Tox. 1 - H304		
7-methyl-3-methylenoocta-1,6-diene		0.50 - 8%
CAS number: 123-35-3	EC number: 204-622-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Sabinene		0.1 - 25%
CAS number: 3387-41-5	EC number: 222-212-4	
M factor (Acute) = 1		
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 Aquatic Acute 1 - H400		

CAMPBOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

a terpinolene		0.09 - 5%
CAS number: 586-62-9	EC number: 209-578-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
p-menth-1-en-8-ol		0.02 - 3%
CAS number: 98-55-5	EC number: 202-680-6	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		
Terpinene-1-ol-4		0.01 - 3%
CAS number: 562-74-3	EC number: 209-235-5	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention immediately.
Ingestion	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Aspiration hazard if swallowed. Do not induce vomiting. Get medical attention immediately.
Skin contact	Wash skin thoroughly with soap and water. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use as appropriate carbon dioxide (CO₂), dry chemical or foam

Unsuitable extinguishing media For safety reasons do not use full water jet.

5.2. Special hazards arising from the substance or mixture

CAMPHOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

Specific hazards When heated to decomposition, it emits acrid smoke as well as carbon monoxide and carbon dioxide.

5.3. Advice for firefighters

Protective actions during firefighting Do not inhale explosion and/or combustion gases. Use self contained breathing apparatus.

Special protective equipment for firefighters Wear full protective clothing

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb with inert, non-combustible, inorganic absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite). Sweep up and remove to an approved disposal container. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. For personal protection, see Section 8.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Provide eyewash station.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

1, 8 cineole (CAS: 470-82-6)

DNEL

Workers - Inhalation; Long term systemic effects: 7.05 mg/m³
Workers - Dermal; Long term systemic effects: 2 mg/kg, bw/day
General population - Inhalation; Long term systemic effects: 1.74 mg/m³
General population - Dermal; Long term systemic effects: 1 bw/day, mg/kg
General population - Oral; Long term systemic effects: 600 bw/day, mg/kg

CAMPHOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

PNEC

- Fresh water; Short term 5.7 mg/l
- Intermittent release, Fresh water; 0.57 mg/l
- Marine water; Short term 5.7 mg/l
- STP; Short term 10 mg/l
- Sediment (Freshwater); Short term 1.425 mg/kg
- Sediment (Marinewater); Short term 0.142 mg/kg
- Soil; Short term 0.25 mg/kg

Alpha Pinene (CAS: 80-56-8)

DNEL

Workers - Inhalation; Long term systemic effects: 3.8 mg/m³
Workers - Dermal; Long term systemic effects: 0.54 mg/kg, bw/day
General population - Inhalation; Long term systemic effects: 0.67 mg/m³
General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day
General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day

PNEC

- Fresh water; Short term 0.606 mg/l
- Fresh water, Intermittent release; 3.03 mg/l
- Marine water; Short term 0.061 mg/l
- Intermittent release, Marine water; 0.303 mg/l
- STP; Short term 0.2 mg/l
- Sediment (Freshwater); Short term 157 mg/kg
- Sediment (Marinewater); Short term 15.7 mg/kg
- Soil; Short term 31.7 mg/kg

Beta Pinene (CAS: 127-91-3)

DNEL

Workers - Inhalation; Long term systemic effects: 5.69 mg/m³
Workers - Dermal; Long term systemic effects: 0.8 mg/kg, bw/day
General population - Inhalation; Long term systemic effects: 1 mg/m³
General population - Dermal; Long term systemic effects: 0.3 bw/day, mg/kg
General population - Oral; Long term systemic effects: 0.3 mg/kg, bw/day

PNEC

- Fresh water; Short term 1.004 mg/l
- Intermittent release, Fresh water; 5.02 mg/l
- Marine water; Short term 0.1 mg/l
- STP; Short term 3.26 mg/l
- Sediment (Freshwater); Short term 0.337 mg/kg
- Sediment (Marinewater); Short term 0.034 mg/kg
- Soil; Short term 0.067 mg/kg

7-methyl-3-methylenoocta-1,6-diene (CAS: 123-35-3)

DNEL

Workers - Dermal; Long term systemic effects: 0.83 mg/kg
Workers - Inhalation; Long term systemic effects: 5.83 mg/m³
General population - Dermal; Long term systemic effects: 0.42 mg/kg
General population - Inhalation; Long term systemic effects: 1.25 mg/m³

PNEC

- STP; 0.2 mg/l
- Soil; 1.015 mg/kg
- Fresh water; 0.00028 mg/l
- Marine water; 0.0008 mg/l
- Sediment (Freshwater); 5.022 mg/kg
- Sediment (Marinewater); 0.502 mg/kg

a terpinolene (CAS: 586-62-9)

CAMPBOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

DNEL	Workers - Inhalation; Long term systemic effects: 3.6 mg/m³ Workers - Dermal; Long term systemic effects: 0.52 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Dermal; Long term systemic effects: 0.26 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.26 bw/day, mg/kg
-------------	--

PNEC	- Fresh water; Short term 0.634 mg/l - Intermittent release, Fresh water; Short term 0.634 mg/l - Marine water; Short term 0.063 mg/l - STP; Short term 0.2 mg/l - Sediment (Freshwater); Short term 14.7 mg/kg - Sediment (Marinewater); Short term 14.7 mg/kg - Soil; Short term 29.1 mg/kg
-------------	--

p-menth-1-en-8-ol (CAS: 98-55-5)

PNEC	- Fresh water; Short term 68 mg/l - Marine water; Short term 6.8 mg/l - STP; Short term 2.6 mg/l - Sediment (Freshwater); Short term 1.85 mg/kg - Sediment (Marinewater); Short term 0.185 mg/kg - Soil; Short term 0.329 mg/kg
-------------	---

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Personal protection

Use personal protection according to Directive 89/686/EEC

Eye/face protection

Approved safety goggles.

Hand protection

Chemical resistant gloves (PVC)

Other skin and body protection

Wear protective clothing.

Hygiene measures

Good personal hygiene procedures should be implemented.

Respiratory protection

Generally unnecessary in a well ventilated area.
If ventilation is insufficient, respiratory protection must be worn.

Environmental exposure controls

Avoid discharging into drains.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Characteristic.
Melting point	REACH dossier information. <-20°C

CAMPHOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

Initial boiling point and range	REACH dossier information. 155-172°C @ 1012 hPa
Flash point	REACH dossier information. 46°C
Vapour pressure	200 Pa @ 25°C
Relative density	0.8700 - 0.9100 @ 20°C
Solubility(ies)	Slightly soluble in water. 0.1-100 mg/L
Partition coefficient	REACH dossier information. Partition coefficient, Log Kow, of the substance Sabinene (CAS 3387-41-5), has been calculated by the model iSafeRat® HA-QSAR toolbox v1.1. Calculation was performed from the input SMILES of Sabinene,, and Sabinene falls inside the Applicability Domain of the model. Therefore, the Log Kow value of Sabinene is 4.64. Sabinene cannot be excluded as potential Bioaccumulative in a PBT context.
Auto-ignition temperature	REACH dossier information. The auto ignition temperature of the test substance was measured according to EU A.15/DIN 51794 guideline. Three main tests were performed, the relevant parameters were recorded and results ranged between 254 and 255°C. The lowest result, rounded down to 5°C, i.e., 250°C is retained.

9.2. Other information

Refractive index 1.4620 - 1.4720 @ 20°C

Hydrocarbon Content

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No reaction known with water.

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No information available

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Not known.

10.6. Hazardous decomposition products

Hazardous decomposition products Liable to cause smoke and acrid fumes during combustion: carbon monoxide, carbon dioxide and other non identified organic compounds may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 5100 mg/kg, Oral, Rat

SECTION 12: Ecological Information

12.1. Toxicity

CAMPHOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Partition coefficient REACH dossier information. Partition coefficient, Log Kow, of the substance Sabinene (CAS 3387-41-5), has been calculated by the model iSafeRat® HA-QSAR toolbox v1.1. Calculation was performed from the input SMILES of Sabinene,, and Sabinene falls inside the Applicability Domain of the model.

Therefore, the Log Kow value of Sabinene is 4.64. Sabinene cannot be excluded as potential Bioaccumulative in a PBT context.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1130
UN No. (IMDG)	1130
UN No. (ICAO)	1130
UN No. (ADN)	1130

14.2. UN proper shipping name

Proper shipping name (ADR/RID) CAMPHOR OIL

Proper shipping name (IMDG) CAMPHOR OIL

Proper shipping name (ICAO) CAMPHOR OIL

Proper shipping name (ADN) CAMPHOR OIL

14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

Transport labels



14.4. Packing group

CAMPHOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	CHIP for everyone HSG228.

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date	05/01/2017
Revision	5
Supersedes date	06/12/2016
SDS number	4758
Hazard statements in full	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



Substance Name: Essential oil of *Cinnamomum camphora* (Lauraceae) obtained from fractional distillation of the decamphorized crude camphor oil

EC Number: 295-980-1

CAS Number: 92201-50-8

Registrant's Identity:



Product Specification

FICHA TECNICA

PRODUCT DETAILS		
Product Name	CAMPHOR OIL WHITE / ALCANFOR BLANCO ACEITE ESENCIAL	
Product Code	OECAMPWHIT	
INCI Name	Cinnamomum camphora	
Country of Origin	China	
Tariff Number	33012941	
REACH Registration	01-2120082524-56-XXXX	
Natural Status	We hereby declare, to the best of our knowledge and from information received from our supplier, that this product is in accordance to the requirements of Articles 3 (2) (d) of Regulation (EC) 1334/2008 and therefore can be designated as natural.	
Kosher Certified	Yes	
Halal Certified	We hereby delcare, from information received from our supplier, that this product does not contain any ingredient derived from animal origin, extracted from hair or feathers, animal fats, animal extracts, blood of any origin, blood plasma, pork and/or other meat products. This product does not contain alcohol (ethanol or grain alcohol) and has not been used in the manufacturing process.	
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modified organisms.	
Manufacturing Process	Essential oil of Cinnamomum camphora (Lauraceae) obtained from fractional distillation of the decamphorized crude camphor oil.	
Identification	CAS No: 92201-50-8	EINECS No: 295-980-1
PHYSICAL AND CHEMICAL CHARACTERISTIC		
Appearance	Liquid	
Colour	Colourless	
Odour	Characteristic	
Melting Point	<-20°C	
Boiling Point	155-172° @ 1012 hPa	
Flash Point	46°C	
Vapour Pressure @ 25°C	200 Pa	
Relative Density @ 20°C	0.8700 - 0.9100	
Refractive Index @ 20°C	1.4620 - 1.4720	
1,8 Cineol content	35% min	
FRAGRANCE ALLERGENS		
Limonene (5989-27-5 / 138-86-3)	8-35.3%	
FOOD ALLERGENS		
NONE PRESENT		
IFRA		
STORAGE AND SHELF LIFE		
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.	