



El Jabón Artesanal
Víctor Vicente Cordovilla
C/ Río Tajo nº 53
18110 Las Gabias, (Granada-España)
Telf. (+34) 637594492
eljabonartesanal@hotmail.com

CERTIFICADO DE ANÁLISIS

PRODUCT DETAILS					
Product Name	CAMPHOR OIL WHITE				
Product Code	OECHAM				
INCI Name	Cinnamomum camphora				
Best Before Date	December 2024				
Batch Number	4456004				
Manufacturing Process	Essential oil of Cinnamomum camphora (Lauraceae) obtained from fractional distillation of the decamphorized crude camphor oil.				
Identification	CAS No: 92201-50-8	EINECS No: 295-980-1			
	Alternate CAS: 92201-50-9				
PHYSICAL AND CHEMICAL CHARACTERISTIC					
	SPECIFICATION RANGE	RESULT			
Appearance	Liquid	Conforms			
Colour	Colourless	Conforms			
Odour	Characteristic	Conforms			
Flash Point	46°C	Conforms			
Relative Density @ 20°C	0.8700 - 0.9100	0.8797			
Refractive Index @ 20°C	1.4620 - 1.4720	1.4682			
1,8 Cineol content	35% min	38.2			
Optical Rotation °	+2 to +12	2.58			
MAIN CONSTITUENTS					
CONSTITUENT RANGE	RESULTS	CONSTITUENT RANGE	RESULTS	CONSTITUENTS RANGE	RESULTS
1, 8 Cineole 33-45%	38.20%	Limonene 8-36%	18.30%	Alpha Pinene 4-17%	6.30%
P-Cymene 1--12.40%	9.80%	p-mentha-1,4-diene 0.50-10%	1.00%	Beta Pinene 0.70-9%	3.30%
Alpha Phellandrene 0.50-4%	0.60%	Myrcene 0.50-8%	3.00%	Sabinene 0.1-25%	7.50%
A Terpinolene 0.09-5%	0.40%	p-menth-1-en-8-ol 0.02-3%	1.60%	Terpinene-1-ol-4 0.01-3%	0.40%
STORAGE AND SHELF LIFE					
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.				

DESCARGO DE RESPONSABILIDAD: Esta información se refiere solo al material específico designado y puede no ser válida para dicho material utilizado en combinación con cualquier otro material o en cualquier proceso. Dicha información es, a la mejor manera del conocimiento y la creencia de la Compañía, preciso y confiable a partir de la fecha indicada. Sin embargo, no se hace ninguna garantía, garantía o representación a su exactitud, confiabilidad o integridad. Es responsabilidad de los usuarios cerciorarse de la idoneidad de dicha información para su uso particular. Cuando hacemos una declaración de que el material alergénico no está presente en ningún producto, esta declaración se hace asumiendo niveles razonables de detección. Es imposible garantizar la "ausencia absoluta" de cualquier material. Es responsabilidad última del cliente garantizar la seguridad del producto final previsto que contenga este material, mediante la realización de ensayos adicionales si es necesario.

30/07/2019



El Jabón Artesanal
Víctor Vicente Cordovilla
C/ Río Tajo nº 53
18110 Las Gabias, (Granada-España)
Telf. (+34) 637594492
eljabonartesanal@hotmail.com

CMR (Carcinogenic, mutagenic, reprotoxic) STATEMENT


Por la presente confirmamos, a nuestro leal saber y entender y a partir de la información recibida de nuestro proveedor, que el producto mencionado a continuación no contiene ninguna sustancia CMR.

Sin embargo, debido a que no analizamos los lotes, no podemos garantizar cualquier garantía explícita.

Producto: Aceite de alcanfor blanco

09 March 2021

CAMPHOR OIL WHITE FLOW CHART





El Jabón Artesanal
Víctor Vicente Cordovilla
C/ Rio Tajo nº 53
18110 Las Gabias, (Granada-España)
Telf. (+34) 637594492
eljabonartesanal@hotmail.com

FICHA DE DATOS DE SEGURIDAD CAMPHOR OIL WHITE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CAMPHOR OIL WHITE

Synonyms; trade names Camphor tree, Cinnamomum camphora ext

REACH registration number 01-2120082524-56-XXXX

CAS number 92201-50-8

Alternative Cas Number 8008-51-3

EC number 295-980-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial, only for professional use

1.3. Details of the supplier of the safety data sheet

Supplier El Jabón Artesanal
Víctor Vicente Cordovilla
C/ Rio Tajo nº 53
18110 Las Gabias, (Granada-España)
Telf. (+34) 637594492
eljabonartesanal@hotmail.com

1.4 Teléfono de emergencia: INSTITUTO NACIONAL DE TOXICOLOGIA MADRID 915620420

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Environmental hazards Aquatic Chronic 2 - H411

Human health May be fatal if swallowed and enters airways. The product is irritating to eyes and skin. May cause an allergic skin reaction.

Environmental Toxic to aquatic life with long lasting effects.

Physicochemical Flammable liquid and vapour

2.2. Label elements

CAMPHOR OIL WHITE

EC number 295-980-1

Hazard pictograms



Signal word Danger

Hazard statements

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
H304 May be fatal if swallowed and enters airways.

Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P391 Collect spillage.
P262 Do not get in eyes, on skin, or on clothing.

Contains 1, 8 cineole, dipentene, Alpha Pinene, p-Cymene, p-mentha-1,4-diene, Beta Pinene, 7-methyl-3-methylenoocta-1,6-diene, Sabinene, a terpinolene

Supplementary precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P261 Avoid breathing vapour/ spray.
P264 Wash contaminated skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P302+P352 IF ON SKIN: Wash with plenty of water.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

CAMPHOR OIL WHITE

SECTION 3: Composition/information on ingredients

3.2. Mixtures

1, 8 cineole		33 - 45%
CAS number: 470-82-6	EC number: 207-431-5	
Classification Flam. Liq. 3 - H226 Skin Sens. 1B - H317		
dipentene		8 - 36%
CAS number: 138-86-3	EC number: 205-341-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Alpha Pinene		4 - 17%
CAS number: 80-56-8	EC number: 201-291-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
p-Cymene		1 – 12.40%
CAS number: 99-87-6	EC number: 202-796-7	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304		

CAMPHOR OIL WHITE

p-mentha-1,4-diene		0.50 - 10%
CAS number: 99-85-4	EC number: 202-794-6	
Classification Flam. Liq. 3 - H226 Asp. Tox. 1 - H304		
Beta Pinene		0.70 - 9%
CAS number: 127-91-3	EC number: 242-060-2	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Alpha Phellandrene		0.50 - 4%
CAS number: 99-83-2	EC number: 202-792-5	
Classification Flam. Liq. 3 - H226 Asp. Tox. 1 - H304		
7-methyl-3-methyleneocta-1,6-diene		0.50 - 8%
CAS number: 123-35-3	EC number: 204-622-5	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 3 - H412		
Sabinene		0.1 - 25%
CAS number: 3387-41-5	EC number: 222-212-4	
M factor (Acute) = 1		
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 Aquatic Acute 1 - H400		

CAMPHOR OIL WHITE

a terpinolene		0.09 - 5%
CAS number: 586-62-9	EC number: 209-578-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
p-menth-1-en-8-ol		0.02 - 3%
CAS number: 98-55-5	EC number: 202-680-6	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		
Terpinene-1-ol-4		0.01 - 3%
CAS number: 562-74-3	EC number: 209-235-5	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

CAMPBOR OIL WHITE

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention immediately.
Ingestion	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Aspiration hazard if swallowed. Do not induce vomiting. Get medical attention immediately.
Skin contact	Wash skin thoroughly with soap and water. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use as appropriate carbon dioxide (CO₂), dry chemical or foam

Unsuitable extinguishing media For safety reasons do not use full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards When heated to decomposition, it emits acrid smoke as well as carbon monoxide and carbon dioxide.

5.3. Advice for firefighters

Protective actions during firefighting Do not inhale explosion and/or combustion gases. Use self contained breathing apparatus.

Special protective equipment for firefighters Wear full protective clothing

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb with inert, non-combustible, inorganic absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite). Sweep up and remove to an approved disposal container. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

CAMPHOR OIL WHITE

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. For personal protection, see Section 8.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Provide eyewash station.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

1, 8 cineole (CAS: 470-82-6)

DNEL	Workers - Inhalation; Long term systemic effects: 7.05 mg/m ³ Workers - Dermal; Long term systemic effects: 2 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 1.74 mg/m ³ General population - Dermal; Long term systemic effects: 1 bw/day, mg/kg General population - Oral; Long term systemic effects: 600 bw/day, mg/kg
PNEC	- Fresh water; Short term 5.7 mg/l - Intermittent release, Fresh water; 0.57 mg/l - marine water; Short term 5.7 mg/l - STP; Short term 10 mg/l - Sediment (Freshwater); Short term 1.425 mg/kg - Sediment (Marinewater); Short term 0.142 mg/kg - Soil; Short term 0.25 mg/kg

Alpha Pinene (CAS: 80-56-8)

DNEL	Workers - Inhalation; Long term systemic effects: 3.8 mg/m ³ Workers - Dermal; Long term systemic effects: 0.54 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 0.67 mg/m ³ General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day
PNEC	- Fresh water; Short term 0.606 mg/l - Fresh water, Intermittent release; 3.03 mg/l - marine water; Short term 0.061 mg/l - Intermittent release, marine water; 0.303 mg/l - STP; Short term 0.2 mg/l - Sediment (Freshwater); Short term 157 mg/kg - Sediment (Marinewater); Short term 15.7 mg/kg - Soil; Short term 31.7 mg/kg

Beta Pinene (CAS: 127-91-3)

CAMPHOR OIL WHITE

DNEL

Workers - Inhalation; Long term systemic effects: 5.69 mg/m³
 Workers - Dermal; Long term systemic effects: 0.8 mg/kg, bw/day
 General population - Inhalation; Long term systemic effects: 1 mg/m³
 General population - Dermal; Long term systemic effects: 0.3 bw/day, mg/kg
 General population - Oral; Long term systemic effects: 0.3 mg/kg, bw/day

PNEC

- Fresh water; Short term 1.004 mg/l
- Intermittent release, Fresh water; 5.02 mg/l
- marine water; Short term 0.1 mg/l
- STP; Short term 3.26 mg/l
- Sediment (Freshwater); Short term 0.337 mg/kg
- Sediment (Marinewater); Short term 0.034 mg/kg
- Soil; Short term 0.067 mg/kg

7-methyl-3-methyleneocta-1,6-diene (CAS: 123-35-3)

DNEL

Workers - Dermal; Long term systemic effects: 0.83 mg/kg
 Workers - Inhalation; Long term systemic effects: 5.83 mg/m³
 General population - Dermal; Long term systemic effects: 0.42 mg/kg
 General population - Inhalation; Long term systemic effects: 1.25 mg/m³

PNEC

- STP; 0.2 mg/l
- Soil; 1.015 mg/kg
- Fresh water; 0.00028 mg/l
- marine water; 0.0008 mg/l
- Sediment (Freshwater); 5.022 mg/kg
- Sediment (Marinewater); 0.502 mg/kg

a terpinolene (CAS: 586-62-9)

DNEL

Workers - Inhalation; Long term systemic effects: 3.6 mg/m³
 Workers - Dermal; Long term systemic effects: 0.52 bw/day, mg/kg
 General population - Inhalation; Long term systemic effects: 0.9 mg/m³
 General population - Dermal; Long term systemic effects: 0.26 bw/day, mg/kg
 General population - Oral; Long term systemic effects: 0.26 bw/day, mg/kg

PNEC

- Fresh water; Short term 0.634 mg/l
- Intermittent release, Fresh water; Short term 0.634 mg/l
- marine water; Short term 0.063 mg/l
- STP; Short term 0.2 mg/l
- Sediment (Freshwater); Short term 14.7 mg/kg
- Sediment (Marinewater); Short term 14.7 mg/kg
- Soil; Short term 29.1 mg/kg

p-menth-1-en-8-ol (CAS: 98-55-5)

PNEC

- Fresh water; Short term 68 mg/l
- marine water; Short term 6.8 mg/l
- STP; Short term 2.6 mg/l
- Sediment (Freshwater); Short term 1.85 mg/kg
- Sediment (Marinewater); Short term 0.185 mg/kg
- Soil; Short term 0.329 mg/kg

8.2. Exposure controls

CAMPHOR OIL WHITE

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Personal protection

Use personal protection according to Directive 89/686/EEC

Eye/face protection

Approved safety goggles.

Hand protection

Chemical resistant gloves (PVC)

Other skin and body protection

Wear protective clothing.

Hygiene measures

Good personal hygiene procedures should be implemented.

Respiratory protection

Generally unnecessary in a well ventilated area.
If ventilation is insufficient, respiratory protection must be worn.

Environmental exposure controls

Avoid discharging into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Characteristic.
Melting point	REACH dossier information. <-20°C
Initial boiling point and range	REACH dossier information. 155-172°C @ 1012 hPa
Flash point	REACH dossier information. 46°C
Vapour pressure	200 Pa @ 25°C
Relative density	0.8700 - 0.9100 @ 20°C
Solubility(ies)	Slightly soluble in water. 0.1-100 mg/L
Partition coefficient	REACH dossier information. Partition coefficient, Log Kow, of the substance Sabinene (CAS 3387-41-5), has been calculated by the model iSafeRat® HA-QSAR toolbox v1.1. Calculation was performed from the input SMILES of Sabinene,, and Sabinene falls inside the Applicability Domain of the model. Therefore, the Log Kow value of Sabinene is 4.64. Sabinene cannot be excluded as potential Bioaccumulative in a PBT context.
Auto-ignition temperature	REACH dossier information. The auto ignition temperature of the test substance was measured according to EU A.15/DIN 51794 guideline. Three main tests were performed, the relevant parameters were recorded and results ranged between 254 and 255°C. The lowest result, rounded down to 5°C, i.e., 250°C is retained.

9.2. Other information

Refractive index 1.4620 - 1.4720 @ 20°C

Hydrocarbon Content

CAMPHOR OIL WHITE

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No reaction known with water.

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No information available

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Not known.

10.6. Hazardous decomposition products

Hazardous decomposition products Liable to cause smoke and acrid fumes during combustion: carbon monoxide, carbon dioxide and other non identified organic compounds may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 5100 mg/kg, Oral, Rat

ATE oral (mg/kg) 4,065.04

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Aspiration hazard

Aspiration hazard May be harmful if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Partition coefficient REACH dossier information. Partition coefficient, Log Kow, of the substance Sabinene (CAS 3387-41-5), has been calculated by the model iSafeRat® HA-QSAR toolbox v1.1. Calculation was performed from the input SMILES of Sabinene,, and Sabinene falls inside the Applicability Domain of the model.

Therefore, the Log Kow value of Sabinene is 4.64. Sabinene cannot be excluded as potential Bioaccumulative in a PBT context.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

CAMPHOR OIL WHITE

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1130

UN No. (IMDG) 1130

UN No. (ICAO) 1130

UN No. (ADN) 1130

14.2. UN proper shipping name

Proper shipping name CAMPHOR OIL
(ADR/RID)

Proper shipping name (IMDG) CAMPHOR OIL

Proper shipping name (ICAO) CAMPHOR OIL

Proper shipping name (ADN) CAMPHOR OIL

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-E, S-E

CAMPHOR OIL WHITE

ADR transport category 3
Emergency Action Code 3Y
Hazard Identification Number 30
(ADR/RID)
Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Guidance CHIP for everyone HSG228.

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date 10/01/2019

Revision 7

Supersedes date 08/11/2018

SDS number 4758

Hazard statements in full H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Esta información se refiere únicamente al material específico designado y puede no ser válida para dicho material utilizado en combinación con cualquier otro material o en cualquier proceso. Dicha información es, según el mejor conocimiento y creencia de la empresa, precisa y fiable a partir de la fecha indicada. Sin embargo, no se hace ninguna garantía, garantía o representación a su exactitud, confiabilidad o integridad. Es responsabilidad del usuario asegurarse de la idoneidad de dicha información para su uso particular.



El Jabón Artesanal
Víctor Vicente Cordovilla
C/ Río Tajo nº 53
18110 Las Gabias, (Granada-España)
Telf. (+34) 637594492
eljabonartesanal@hotmail.com

Product Specification

PRODUCT DETAILS		
Product Name	CAMPHOR OIL WHITE	
Product Code		
INCI Name	Cinnamomum camphora	
Country of Origin	China	
Tariff Number	33012941	
REACH Registration	01-2120082524-56-XXXX	
Food Grade Status	Not applicable	
Natural Status	We hereby declare, to the best of our knowledge and from information received from our supplier, that this product is 100% pure and natural.	
Kosher Certified	Yes	
Halal Certified	We hereby delcare, from information received from our supplier, that this product does not contain any ingredient derived from animal origin, extracted from hair or feathers, animal fats, animal extracts, blood of any origin, blood plasma, pork and/or other meat products. This product does not contain alcohol (ethanol or grain alcohol) and has not been used in the manufacturing process.	
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modified organisms.	
Manufacturing Process	Essential oil of Cinnamomum camphora (Lauraceae) obtained from fractional distillation of the decamphorized crude camphor oil.	
Identification	CAS No: 92201-50-8	EINECS No: 295-980-1
	Atlernate CAS : 8008-51-3	
PHYSICAL AND CHEMICAL CHARACTERISTIC		
Appearance	Liquid	
Colour	Colourless	
Odour	Characteristic	
Melting Point	<-20°C	
Boiling Point	155-172° @ 1012 hPa	
Flash Point	46°C	
Vapour Pressure @ 25°C	200 Pa	
Relative Density @ 20°C	0.8700 - 0.9100	
Refractive Index @ 20°C	1.4620 - 1.4720	
1,8 Cineol content	35% min	
Optical Rotation	+2 to +12	
FRAGRANCE ALLERGENS		
Limonene (5989-27-5 / 138-86-3) 8-35.3%		
FOOD ALLERGENS		
NONE PRESENT		
IFRA		
NONE PRESENT		
STORAGE AND SHELF LIFE		
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.	
Shelf Life	24 months unopened and stored as above.	

DESCARGO DE RESPONSABILIDAD: Esta información se refiere solo al material específico designado y puede no ser válida para dicho material utilizado en combinación con cualquier otro material o en cualquier proceso. Dicha información es, a la mejor manera del conocimiento y la creencia de la Compañía, preciso y confiable a partir de la fecha indicada. Sin embargo, no se hace ninguna garantía, garantía o representación a su exactitud, confiabilidad o integridad. Es responsabilidad los usuarios cerciorarse de la idoneidad de dicha información para su uso particular. Cuando hacemos una declaración de que el material alérgico no está presente en ningún producto, esta declaración se hace asumiendo niveles razonables de detección. Es imposible garantizar la "ausencia absoluta" de cualquier material. Es responsabilidad última del cliente garantizar la seguridad del producto final previsto que contenga este material, mediante la realización de ensayos adicionales si es necesario.



El Jabón Artesanal
Víctor Vicente Cordovilla
C/ Río Tajo nº 53
18110 Las Gabias, (Granada-España)
Telf. (+34) 637594492
eljabonartesanal@hotmail.com

Vegan and Vegetarian Statement

IDENTIFICATION	
Product:	Camphor Oil White
Cas No:	92201-50-8 / 8008-51-3
EINECS No:	295-980-1
STATEMENT	
Nosotros, El Jabón Artesanal, a partir de la información recibida de nuestro proveedor, declaramos que el material enumerado anteriormente es adecuado para lo siguiente: Veganos (Excluye todos los productos derivados de animales, incluidos los productos lácteos, huevos, cuero, productos de abejas (cera de abejas y miel). Lacto Vegetarianos (Igual que vegano pero permite productos lácteos y productos apícolas. Ovo Vegetarianos (Igual que vegano pero permite productos de huevo y productos de abejas) No contiene ingredientes animales ni subproductos animales. Sin ingredientes animales o por proceso de fabricación de los productos que se utilizan. Este documento representa lo mejor que sabemos y de la información recibida de nuestro proveedor. Eso no exime al comprador de la obligación de realizar un examen de las mercancías recibidas. Todos los usos hechos por el comprador se hacen bajo su propia responsabilidad.	